

Table 26. Natural gas home customer-weighted heating degree days

Month/Year/Type of data	New England	Middle Atlantic	East North Central	West North Central	South Atlantic
	CT, ME, MA, NH, RI, VT	NJ, NY, PA	IL, IN, MI, OH, WI	IA, KS, MN, MO, ND, NE, SD	DE, FL, GA, MD, DC, NC, SC, VA, WV
November					
Normal	702	665	757	841	442
2019	800	767	889	904	518
2020	575	505	590	663	312
% Diff (normal to 2020)	-18.1	-24.1	-22.1	-21.2	-29.4
% Diff (2019 to 2020)	-28.1	-34.2	-33.6	-26.7	-39.8
December					
Normal	1,045	994	1,135	1,249	700
2019	1,021	947	952	1,078	586
2020	949	915	1,013	1,087	689
% Diff (normal to 2020)	-9.2	-8.0	-10.8	-13.0	-1.6
% Diff (2019 to 2020)	-7.1	-3.4	6.4	0.8	17.6
January					
Normal	1,209	1,155	1,303	1,391	803
2020	988	938	1,033	1,205	613
2021	1,083	1,031	1,133	1,179	729
% Diff (normal to 2021)	-10.4	-10.7	-13.1	-15.2	-9.2
% Diff (2020 to 2021)	9.6	9.9	9.7	-2.2	18.9
February					
Normal	1,030	980	1,062	1,079	638
2020	878	824	988	1,071	516
2021	1,015	994	1,234	1,364	645
% Diff (normal to 2021)	-1.5	1.4	16.2	26.4	1.1
% Diff (2020 to 2021)	15.6	20.6	24.9	27.4	25.0
March					
Normal	887	823	865	858	485
2020	739	651	725	732	328
2021	802	717	686	672	389
% Diff (normal to 2021)	-9.6	-12.9	-20.7	-21.7	-19.8
% Diff (2020 to 2021)	8.5	10.1	-5.4	-8.2	18.6
November to March					
Normal	4,873	4,617	5,122	5,418	3,068
2020	4,426	4,127	4,587	4,990	2,561
2021	4,424	4,162	4,656	4,965	2,764
% Diff (normal to 2021)	-9.2	-9.9	-9.1	-8.4	-9.9
% Diff (2020 to 2021)	-0.1	0.9	1.5	-0.5	7.9

See footnotes at end of table.

Table 26. Natural gas home customer-weighted heating degree days – continued

Month/Year/Type of data	East South Central	West South Central	Mountain	Pacific ^b	U.S. Average ^b
	AL, KY, MS, TN	AR, LA, OK, TX	AZ, CO, ID, MT, NV, NM, UT, WY	CA, OR, WA	
November					
Normal	454	305	739	366	589
2019	558	349	681	291	644
2020	343	193	636	349	466
% Diff (normal to 2020)	-24.5	-36.7	-13.9	-4.6	-20.9
% Diff (2019 to 2020)	-38.5	-44.7	-6.6	19.9	-27.6
December					
Normal	722	537	999	531	884
2019	559	419	922	511	778
2020	707	486	969	485	809
% Diff (normal to 2020)	-2.1	-9.5	-3.0	-8.7	-8.5
% Diff (2019 to 2020)	26.5	16.0	5.1	-5.1	4.0
January					
Normal	829	611	1,026	532	991
2020	616	422	908	497	808
2021	726	521	951	495	876
% Diff (normal to 2021)	-12.4	-14.7	-7.3	-7.0	-11.6
% Diff (2020 to 2021)	17.9	23.5	4.7	-0.4	8.4
February					
Normal	631	429	803	412	793
2020	549	416	856	394	730
2021	721	609	877	432	892
% Diff (normal to 2021)	14.3	42.0	9.2	4.9	12.5
% Diff (2020 to 2021)	31.3	46.4	2.5	9.6	22.2
March					
Normal	459	276	695	393	649
2020	287	149	670	484	552
2021	330	207	724	482	567
% Diff (normal to 2021)	-28.1	-25.0	4.2	22.7	-12.6
% Diff (2020 to 2021)	15.0	38.9	8.1	-0.4	2.7
November to March					
Normal	3,095	2,158	4,262	2,234	3,906
2020	2,569	1,755	4,037	2,177	3,512
2021	2,827	2,016	4,157	2,243	3,610
% Diff (normal to 2021)	-8.7	-6.6	-2.5	0.4	-7.6
% Diff (2020 to 2021)	10.0	14.9	3.0	3.0	2.8

^a Normal is based on calculations of data from 1971 through 2000.^b Excludes Alaska and Hawaii.**Note:** See Appendix A, Explanatory Note 10, for discussion of Heating Degree-Days computations.**Source:** National Oceanic and Atmospheric Administration.